

Exemplar 1 B













Fig. 1

2/28

hrs



hrs



hrs





Fig. 1 Fortsetzung

E




Fig. 1 Fortoetjy

4/28






Fig. 2

5/28

C



D





Fig. 2 Forster

6/28

E



F






Fig. 2 Fortified

7/28
MCF-7



B HMEC





Fig 3

8/28




Fig 4

9/28

RNA4-
ated

HMEC

HMEC

ontrol

HMEC

control

siRNA4-treated

HMEC

MCF-7

Fig. 4
Fatty acid

10/28












Fig. 5 A

11/28









Fig. 5A Fortectry.

12/28

3

HMEC



MCF-7



C


MCF-7




Fig. 5 3, C

13/28

CF-7




MCF-7




D

-480




HeLa S3



F

49



HMEC




Fig. 6

A. MCF-7










Fig. 7




B

	Uptake of fluorescein-labelled siRNA4				
	56 nM	100 nM	150 nM	1000 nM	2000 nM
MCF-7	89.8%	89.4%	89.3%	89.3%	n.d.
HMEC	49.2%	n.d.	n.d.	71.3%	75.7%


Fig. 7 Fortsch.



b



c



d






Fig. 8


a




b




c



d



e



f





Fig 9







Fig. 11

20/28

a



b




fig. 12

21/28






Fig. 13

22/28




Fig. 141

23/28





Fig. 15


24/28

Fig. 16



25/28

A



B




Fig.17

26/28




Fig. 18

27/28




Fig. 19

28/28




Fig. 20

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS

☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☒ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☐ LINES OR MARKS ON ORIGINAL DOCUMENT

☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.